



Problem Solved!
ALL-IN ONE
SOLUTION

Switch Always On offers all-in-one solution designed to eliminate unattended kiosks' connectivity and equipment failures incorporating a backup Li-Ion battery, ethernet & wifi connectivity, cloud integration, and an end user mobile app.

Stay Connected!

AUTO-REBOOT & ELIMINATE SERVICE CALL

Switch Always On automatically reboots any disconnected networking device, ensuring uninterrupted operation. With the integrated battery backup and auto-reboot functions, minimize disruptions to your operations & eliminate service calls! You can reboot your entire equipment using one of the AC accessories.

We've got your back!

24/7 PROFESSIONAL MONITORING WITH OUR MOBILE APP

Stay connected and receive real-time alerts directly on your desktop or mobile device whenever disruptions or restoration of AC power and/or connectivity occur. With mobile & cloud remote troubleshooting, stay informed and take immediate action.

www.switchalwayson.com



# **Product Specs**

### INPUT AC RATINGS

<ul><li>Input Voltage Rating</li></ul>	110VAC-240VAC, 50/60Hz, 1.1A
<ul><li>Input VA Rating</li></ul>	125VA
<ul> <li>Input Voltage Surge Protection</li> </ul>	TMOV / Varistor, 300V / 6kA / 125J

### **OUTPUT RATINGS - DC**

<ul><li>Max Output Power</li></ul>	65W
<ul><li>Number of DC Outlets</li></ul>	4
<ul><li>Individual DC Outlet Control</li></ul>	4 (independently controlled)
<ul><li>DC Outlet Voltage Ratings</li></ul>	2@+12V / 2@+5V
DC Outlet Current Ratings	+12V → 1.5A nominal, 2.5A max +5V → 2.5A nominal, 3.5A max

## OUTPUT RATINGS - AC (with AC Power Plug or AC Power Switch Accessories)

Number of AC Ports (Outlets)	1 or 2 with AC Power Plug or AC Power Switch
<ul><li>Individual AC Outlet Control</li></ul>	1 or 2 (independently controlled)
AC Outlet Voltage Rating	110VAC - 220VAC
AC Outlet Current Rating	15A







# **Product Specs**

### - BATTERY BACKUP

Battery Chemistry	4S1P Li-Ion Battery
Nominal Battery Voltage / Capacity	~14.8V / 2600mAh
Backup Time	~2 hours @50% load/ ~ 10 hour @20% load

## CONNECTIVITY/ CLOUD

Wired	Ethernet 10/100 Mbps
<ul><li>Wireless</li></ul>	Wi-Fi IEEE 802.11 b/g/n 2.4GHz
Cloud Connectivity	3-Year Cloud Access & Alerts

#### SAFETY COMPLIANCE

• UL/cUL	UL Listed (60950-1 Information Technology Equipment Safety)
• FCC	FCC Title 47 CFR 15 Subpart B Emissions Class A
• CE	CE listed
• ROHS	Compliant

#### **MECHANICAL**

Form Factor	Ultra Compact
● WxDxH	4.8" x 6.5" x 1.7"
<ul><li>Weight</li></ul>	~2lb